



Neutral conductor, leading switching for Front mounting, Accessory for main and emergency-off switch 3LD23/24 for 160A - 250A and for molded case switch 3LD5 UL for 100A - 150A

Model	
product brand name	SETRON
product designation	Neutral conductor
design of the product	accessories for 3LD23/24 main and EMERGENCY-STOP switches
Accessories	
accessories	leading switching for front mounting, for 160 A and 250 A
AWG number as coded connectable conductor cross section	
<ul style="list-style-type: none"> <li>• minimum</li> </ul>	1
type of connectable conductor cross-sections for main contacts	
<ul style="list-style-type: none"> <li>• finely stranded with core end processing</li> <li>• solid or stranded</li> </ul>	1x (16...185 mm <sup>2</sup> ) 1x (16...150 mm <sup>2</sup> )
Mechanical Design	
Net Weight	510 g
Approvals Certificates	
General Product Approval	



other	Environment
-------	-------------




[Confirmation](#)

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=3LD9240-0B>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3LD9240-0B>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mifb=3LD9240-0B](http://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=3LD9240-0B)



last modified:

4/12/2025 

