



LV HRC fuse base Sz. 1, 1-pole 250 A 690 V (1000 V) flat terminal

Model		
product brand name	SENTRON	
product designation	LV HRC fuse system	
design of the product	LV HRC fuse base	
design of the thread of the connection screw	M10	
General technical data		
number of poles	1	
size of fuse system according to EN 60269-1	NH1	
utilization category	Without	
Supply voltage		
supply voltage		
• at AC	690 V	
• at DC	440 V	
Product details		
product component swivel-in mechanism	No	
maximum short-circuit current breaking capacity (I <sub>cu</sub> )		
• at AC rated value	120 kA	
• at DC rated value	25 kA	
Connections		
connectable conductor cross-section on box terminal		
• minimum	2.5 mm <sup>2</sup>	
• maximum	50 mm <sup>2</sup>	
tightening torque of the screw for securing the equipment maximum	2.5 N·m	
tightening torque with screw-type terminals maximum	38 N·m	
type of electrical connection	With flat-type terminal	
• for main current circuit	flat connector	
Mechanical Design		
fastening method	fixed mounting	
fastening method bus-mounting	No	
Net Weight	767 g	
Approvals Certificates		
General Product Approval	Test Certificates	other



[Special Test Certificate](#)

[Confirmation](#)



other

Environment



#### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NH3230>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3NH3230>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NH3230](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NH3230)

**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

---

last modified:

4/3/2025 

