



SENTRON, cylindrical fuse holder, 10x38 mm, 3-pole, In: 32 A, Un AC: 690 V, LED signal detector

Model		
product brand name	SENTRON	
product designation	Cylindrical fuse holder	
design of the product	LED signal detector	
General technical data		
number of poles	3	
size of fuse link	10 x 38 mm	
Supply voltage		
operating voltage	690 V	
• at AC rated value		
protection class IP	IP20	
Mechanical Design		
height	81 mm	
width	54 mm	
depth	64 mm	
Net Weight	192 g	
Certificates		
reference code according to IEC 81346-2	F	
Approvals Certificates		
General Product Approval	Test Certificates	other



[Miscellaneous](#)

[Confirmation](#)

other	Environment
-------	-------------



[Environmental Confirmations](#)

### Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7034>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7034>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7034](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7034)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>





last modified:

4/6/2025 