







SENTRON, cylindrical fuse holder, 14x51 mm, 3P+N, In: 50 A, Un AC: 690 V, LED signal detector



Model		
product brand name	SENTRON	
product designation	Cylindrical fuse holder	
design of the product	LED signal detector	
General technical data		
number of poles	4	
design of pole	3P+N	
size of fuse link	14 x 51 mm	
Supply voltage		
operating voltage	690 V	
• at AC rated value		
protection class IP	IP20	
Mechanical Design		
height	90 mm	
width	108 mm	
depth	70 mm	
Net Weight	470 g	
Certificates		
reference code according to IEC 81346-2	F	
Approvals Certificates		
General Product Approval	Test Certificates	other
   	Miscellaneous	Confirmation
other	Environment	
	Environmental Confirmations	

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7162>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7162>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7162

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

4/11/2025 ↗

