

circular conduc. terminal TA1.2 35...185 mm² 4 units accessory for: 3VA12



| Model | |
|--|--|
| product brand name | SETRON |
| product designation | Circular conductor terminal 1 cable 4 units |
| accessories | Wire connector |
| General technical data | |
| designation / of the terminal | TA1.2 |
| type of electrical connection / with control wire tap | No |
| Mechanical Design | |
| Net Weight | 155 g |
| Connections according IEC | |
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum | 50 mm ² 185 mm ² 50 mm ² 185 mm ² |
| stripped length | 20 mm |
| tightening torque / when using copper cables | |
| <ul style="list-style-type: none"> stranded finely stranded finely stranded / with core end processing | 50 - 185 mm ² : 22.6 Nm 95 - 150 mm ² : 22.6 Nm 35 - 120 mm ² : 22.6 Nm |
| Connections according UL | |
| permissible temperature / of connectable conductor / according to UL 486A-486B | 75 °C |
| stripped length | 0.8 in |
| Certificates | |
| General Product Approval | EMV |

[Confirmation](#)



[Miscellaneous](#)



| Test Certificates | Maritime application | other | Environment |
|-------------------|----------------------|-------|-------------|
|-------------------|----------------------|-------|-------------|

[Type Test Certificates/Test Report](#)



[Confirmation](#)

[Miscellaneous](#)



[Environmental Confirmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9254-0JB12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9254-0JB12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9254-0JB12

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

8/8/2025

