

front mounted rotary operator standard IP30 NEMA type 1,.. with door interlock 24 V DC lighting kit and door opening position accessory for: 3VA52; 3VA61/62



| Model | |
|----------------------------------|----------------------------------|
| product brand name | SETRON |
| product designation | front rotary operating mechanism |
| accessories | Front rotary operator |
| General technical data | |
| degree of protection NEMA rating | 1 |
| protection class IP | IP30 |
| Mechanical Design | |
| height | 82 mm |
| width | 105 mm |
| depth | 106 mm |
| Net Weight | 361 g |

Certificates
General Product Approval



[Confirmation](#)



[Miscellaneous](#)



| EMV | Test Certificates | Maritime application | other | Environment |
|-----|--|----------------------|------------------------------|---|
| | Type Test Certificates/Test Report | | Confirmation | Environmental Confirmations |

Environment
[Environmental Confirmations](#)

Further information
 Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
 Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
 Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9277-0EK33>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9277-0EK33>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9277-0EK33

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>





last modified:

4/3/2025 