



operating unit w. Bowden cable Max-Flex operator complete kit comprising: steel handle epoxy-coated NEMA 1, 12, 3R black = OFF, red = ON Bowden cable length 36" (0.9 m) switching mech., accessory for: 3VA53/54; 3VA63/64 only for the UL market only for UL applications not approved for IEC

| Model | | |
|--------------------------|--------------------------------------|----------------------|
| product brand name | SETRON | |
| product designation | operator unit Max-Flex, complete kit | |
| accessories | Operating unit | |
| Mechanical Design | | |
| Net Weight | 2.742 kg | |
| Certificates | | |
| General Product Approval | EMV | Maritime application |




[Miscellaneous](#)



| other | Environment |
|------------------------------|---|
| Confirmation | Miscellaneous |
| | Environmental Con- firmations |
| | Environmental Con- firmations |

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9477-0CK72>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9477-0CK72>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9477-0CK72
- CAx-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>



last modified:

5/26/2025 

