

rear connection stud flat horizontal connection; 3 units accessory for: 3VA65/66



Model	
product brand name	SETRON
product designation	rear connection stud flat, horizontal
accessories	rear connection stud flat, horizontal
Mechanical Design	
Net Weight	5.617 kg
Connections according IEC	
thickness / of the busbar / minimum	4 mm
thickness / of the busbar / maximum	15 mm
width / of the busbar / maximum	90 mm
Connections according UL	
width / of the busbar / maximum	3.5 in
thickness / of the busbar / minimum	0.16 in
thickness / of the busbar / maximum	0.5 in
Certificates	
General Product Approval	EMV



[Confirmation](#)

[Miscellaneous](#)



Test Certificates	Maritime application	other	Environment
-------------------	----------------------	-------	-------------

[Type Test Certificates/Test Report](#)



[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9673-0QE60>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9673-0QE60>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9673-0QE60

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

5/26/2025 

