

circular conduc. terminal TC7.3 5 x 300...600 kcmil Cu for 5 cables; 1 unit
accessory for: circuit breaker, 3-pole 3VA58/59; 3VA68/69


Model	
product brand name	SETRON
product designation	Circular conductor terminal 1 unit
accessories	Wire connector
General technical data	
designation / of the terminal	TC7.3
type of electrical connection / with control wire tap	No
Mechanical Design	
Net Weight	4.918 kg
Connections according IEC	
stripped length	45 mm
Connections according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	90 °C
stripped length	1.8 in
connectable conductor cross-section	
• for copper cable / stranded / minimum	300 kcmil
• for copper cable / stranded / maximum	600 kcmil
tightening torque / when using copper cables	
• stranded	300-600 kcmil: 600 lb-in
Certificates	
General Product Approval	EMV



[Confirmation](#)

[Miscellaneous](#)



Test Certificates	Maritime application	other	Environment		
Type Test Certificates/Test Report		Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9871-0JE53>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9871-0JE53>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9871-0JE53

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

5/11/2025 

