



operator kit with Bowden cable Max-Flex operator Bowden cable, single length 1.2 m (48") accessory for: 3VA55-59; 3VA65-69 only for the UL market only for UL applications not approved for IEC

Model	
product brand name	SETRON
product designation	operator unit Max-Flex, Bowden cable
accessories	Bowden cable for Max-Flex
Mechanical Design	
Net Weight	620 g
Certificates	
General Product Approval	



[Declaration of Conformity](#)

[Confirmation](#)




[Miscellaneous](#)

General Product Approval	EMV	Maritime application	other	Environment
			<a href="#">Confirmation</a>	<a href="#">Environmental Confirmations</a>
			<a href="#">Miscellaneous</a>	

Environment
<a href="#">Environmental Confirmations</a>

Further information
Information on the packaging <a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>
Information for data generation and storage <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>
Information- and Downloadcenter (Catalogs, Brochures,...) <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>
Industry Mall (Online ordering system) <a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9877-0CC20">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9877-0CC20</a>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) <a href="https://support.industry.siemens.com/cs/ww/en/ps/3VA9877-0CC20">https://support.industry.siemens.com/cs/ww/en/ps/3VA9877-0CC20</a>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) <a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9877-0CC20">https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9877-0CC20</a>



---

last modified:

5/26/2025 

