

door mounted rotary operator EMERGENCY OFF IEC IP65 with door interlock accessory for: 3VA57/58/59; 3VA67/68/69



**Model**

product brand name	SENTRON
product designation	door-coupling rotary operating mechanism

**Mechanical Design**

Net Weight	3.851 kg
------------	----------

**Certificates**

**General Product Approval**



[Confirmation](#)



[Miscellaneous](#)



EMV	Test Certificates	Maritime application	other	Environment
-----	-------------------	----------------------	-------	-------------



[Type Test Certificates/Test Report](#)



[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

**Environment**


[Environmental Confirmations](#)

**Further information**

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9877-0FK25>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9877-0FK25>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9877-0FK25](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9877-0FK25)
- CAX-Online-Generator  
<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



---

last modified:

4/8/2025 

