



undervoltage release 125-127 V DC accessory for: 3VA1 and 3VA20-26

| Model | |
|--|-------------------|
| product brand name | SENTRON |
| product designation | Auxiliary release |
| accessories | Auxiliary release |
| General technical data | |
| degree of pollution | 3 |
| overvoltage category | III |
| consumed active power / at DC / maximum | 2.5 W |
| Voltage | |
| surge voltage resistance | 4 kV |
| Mechanical Design | |
| height | 65.1 mm |
| width | 25.7 mm |
| number of slots | 3 |
| depth | 28.8 mm |
| net weight | 91 g |
| Net Weight | 80 g |
| tightening torque / with screw-type terminals / minimum | 0.4 N·m |
| tightening torque / with screw-type terminals / maximum | 0.5 N·m |
| Connections according IEC | |
| stripped length | 10 mm |
| connectable conductor cross-section | 0.5 ... 1.5 |
| <ul style="list-style-type: none"> • minimum • maximum | |
| AWG number / as coded connectable conductor cross section / for auxiliary contacts | |
| <ul style="list-style-type: none"> • minimum • maximum | 20 16 |
| Connections according UL | |
| stripped length [in] | 0.4 in |
| tightening torque [lbf·in] / with screw-type terminals / minimum | 3.5 lbf·in |
| tightening torque [lbf·in] / with screw-type terminals / maximum | 4.4 lbf·in |
| Certificates | |
| General Product Approval | EMV |



[Confirmation](#)

[Miscellaneous](#)



| | | | |
|-------------------|----------------------|-------|-------------|
| Test Certificates | Maritime application | other | Environment |
|-------------------|----------------------|-------|-------------|

[Miscellaneous](#)

[Type Test Certificates/Test Report](#)



[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Environment

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9908-0BB14>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9908-0BB14>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)




https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9908-0BB14

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

4/4/2025 

