









operating cycles counter accessory for: SEO520



Model				
product brand name	SETRON			
product designation	Operating cycles counter			
accessories	Switching cycle counter			
Mechanical Design				
Net Weight	51 g			
Connections according UL				
ambient temperature / during operation				
• minimum	-25 °C			
• maximum	70 °C			
ambient temperature / during storage				
• minimum	-40 °C			
• maximum	80 °C			
Certificates				
General Product Approval	EMV			
 	<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>		
				
				
Test Certificates	Maritime application	other	Environment	
<a href="#">Type Test Certificates/Test Report</a>		<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>	<a href="#">Environmental Confirmations</a>
				<a href="#">Environmental Confirmations</a>
Further information				
<a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">Information on the packaging</a>				
<a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">Information for data generation and storage</a>				
<a href="https://www.siemens.com/lowvoltage/catalogs">Information- and Downloadcenter (Catalogs, Brochures,...)</a>				
<a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9987-0HX10">Industry Mall (Online ordering system)</a>				
<a href="https://support.industry.siemens.com/cs/ww/en/ps/3VA9987-0HX10">Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</a>				
<a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9987-0HX10">Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</a>				
<a href="#">CAx-Online-Generator</a>				



---

last modified:

5/26/2025 

