

Vertical Connect. (top) for circuit breakers fixed mounted, Frame Size 2, 3-pole, for 3WA2 breaking capacity class S / H / E, In = 2000A, for 3WA3 breaking capacity class N / S / M / H / E, In = 2000A, 3 piece/s



Model	
product brand name	SENTRON
Net Weight	3.914 kg
Approvals Certificates	
General Product Approval	EMV Test Certificates



[Confirmation](#)




[Miscellaneous](#)

Test Certificates	Maritime application	other
Type Test Certificates/Test Report Special Test Certificate		Confirmation

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AB21>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AB21>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AB21
- CAX-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>



last modified:

10/18/2025 

