









Vertical Connect. (top) for circuit breakers fixed mounted, Frame Size 2, 3-pole, for 3WA2 breaking capacity class S / H / E, In = 2500-3000A, for 3WA3 breaking capacity class N / S / M / H / E, In = 2500-3200A, 3 piece/s



Model			
product brand name	SENTRON		
Net Weight	7.705 kg		
Approvals Certificates			
General Product Approval	EMV	Test Certificates	
 	Confirmation		
			Type Test Certificates/Test Report
Test Certificates		Maritime application	other
Special Test Certificate	Miscellaneous		Confirmation
		URS	
Further information			
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875			
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012			
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs			
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AB22			
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AB22			
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AB22			
CAX-Online-Generator https://www.siemens.com/cax			
Tender specifications https://www.siemens.com/specifications			



last modified:

10/18/2025 