


Vertical Connect. (bottom) for circuit breakers fixed mounted, Frame Size 2, 3-pole, for 3WA2 breaking capacity class S / H / E, In = 800-1600A, for 3WA3 breaking capacity class N / S / M / H / E, In = 800-1600A, 3 piece/s incl. support bracket



Model	
product brand name	SENTRON
Net Weight	3.256 kg
Approvals Certificates	
General Product Approval	EMV
Test Certificates	



EG-Konf.

[Confirmation](#)



RCM

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

### other

[Confirmation](#)



### Further information

#### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

#### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AC20>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AC20>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WA9111-1AC20](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AC20)

#### CAX-Online-Generator

<https://www.siemens.com/cax>

#### Tender specifications

<https://www.siemens.com/specifications>



---

last modified:

10/18/2025 

