



Front Connectors (top) for circuit breakers fixed mounted, Frame Size 2, for 3WA2 breaking capacity class S / H / E, In = 3000A, for 3WA3 breaking capacity class N / S / M / H / E, In = 2500A, 1 piece (incl. hardware)

Model

| | |
|--------------------|----------|
| product brand name | SENTRON |
| Net Weight | 9.014 kg |

Approvals Certificates

| | | |
|--------------------------|-----|-------------------|
| General Product Approval | EMV | Test Certificates |
|--------------------------|-----|-------------------|



[Miscellaneous](#)

[Special Test Certificate](#)

| | | |
|----------------------|-------|-----------------|
| Maritime application | other | Dangerous goods |
|----------------------|-------|-----------------|




[Confirmation](#)



[Dangerous goods information](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AF23>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AF23>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AF23
- CAX-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>



last modified:

10/18/2025 

