



Front Connectors (bottom) for circuit breakers fixed mounted, Frame Size 2, for 3WA2 breaking capacity class S / H / E, In = 800-1600A, for 3WA3 breaking capacity class N / S / M / H / E, In = 800-1600A, (incl. 1 pice (incl. hardware)

Model

product brand name	SENTRON
Net Weight	2.222 kg

Approvals Certificates

General Product Approval	EMV	Test Certificates
--------------------------	-----	-------------------



[Confirmation](#)



[Miscellaneous](#)

[Special Test Certificate](#)

EG-Konf.

RCM

Maritime application	other	Dangerous goods
----------------------	-------	-----------------



[Confirmation](#)




[Dangerous goods information](#)

LRS

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AG20>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AG20>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AG20
- CAX-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>



last modified:

10/18/2025 

