







Rear wall for cradle (guide frame), with vertical connections, Frame Size 2, 4-pole, for 3WA3 breaking capacity class N / S / M / H / E, In = 800-1600A, 1 piece, mounting possible on the top or bottom



Model					
product brand name	SENTRON				
Net Weight	24.25 kg				
Approvals Certificates					
General Product Approval			EMV	Test Certificates	
		<a href="#">Confirmation</a>			<a href="#">Type Test Certificates/Test Report</a>
Test Certificates		Maritime application	other	Dangerous goods	
<a href="#">Miscellaneous</a>	<a href="#">Special Test Certificate</a>		<a href="#">Confirmation</a>		<a href="#">Dangerous goods information</a>
Further information					

### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AL52>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AL52>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WA9111-1AL52](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AL52)

### CAX-Online-Generator

<https://www.siemens.com/cax>

### Tender specifications

<https://www.siemens.com/specifications>



---

last modified:

10/18/2025 

