

Shutter (tall), Frame Size 3, 3-pole, for 3WA2 breaking capacity class C, In = 4000-5000A, for 3WA3 breaking capacity class C, In = 4000-5000A, For replacement only.



### Model

product brand name	SENTRON
Net Weight	4.083 kg

### Approvals Certificates

General Product Approval	EMV
--------------------------	-----



[Confirmation](#)




### Test Certificates

Test Certificates	Maritime application	other
<a href="#">Type Test Certificates/Test Report</a>	<a href="#">Special Test Certificate</a>	<a href="#">Miscellaneous</a>
		<a href="#">Confirmation</a>

### Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AP36>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AP36>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WA9111-1AP36](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AP36)
- CAX-Online-Generator  
<https://www.siemens.com/cax>
- Tender specifications  
<https://www.siemens.com/specifications>



---

last modified:

10/18/2025 

