







Main contact system for circuit breakers fixed mounted and withdrawable, Frame Size 2, 3-pole, for 3WA2 breaking capacity class S / H / E, In = 2500-3000A, for 3WA3 breaking capacity class N / S / M / H / E, In = 2500-3200A, 3 pieces



Model			
product brand name	SENTRON		
Net Weight	21.821 kg		
Approvals Certificates			
General Product Approval	EMV	Test Certificates	
 	Confirmation	 	Type Test Certificates/Test Report
Miscellaneous	Special Test Certificate		Confirmation 
Test Certificates	Maritime application	other	

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AQ43>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AQ43>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AQ43

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

10/18/2025 

