







Accessory circuit breaker 3WA, Option Plug LSIG GFs 315 A, UL listed, Basic protective function LT, ST, INST, GF, Rated current 315 A (Ground fault protection with standard setting range)



Model			
product brand name	SENTRON		
Net Weight	7 g		
Approvals Certificates			
General Product Approval	EMV	Test Certificates	
  Confirmation  		Type Test Certificates/Test Report	
Test Certificates	Maritime application	other	Dangerous goods
Special Test Certificate	Miscellaneous 	Confirmation	
Dangerous goods information			
Further information			
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875			
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012			
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs			
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1EG03			
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1EG03			
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1EG03			
CAX-Online-Generator https://www.siemens.com/cax			
Tender specifications https://www.siemens.com/specifications			



last modified:

10/18/2025 

