


accessories circuit breaker 3WL aux.switch block 2NO+0NC



Model	
product brand name	SENTRON
product designation	Auxiliary contacts for switch position
design of the product	Accessories
General technical data	
degree of pollution	3
Voltage	
surge voltage resistance rated value	4 kV
Supply voltage	
operating voltage	
<ul style="list-style-type: none"> at AC at 50 Hz rated value maximum at DC rated value maximum 	500 V 500 V
Mechanical Design	
Net Weight	0.08 kg
Approvals Certificates	
General Product Approval	Test Certificates



[Miscellaneous](#)

other	Environment
-------	-------------

[Confirmation](#)



[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL9111-0AG02-0AA0>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3WL9111-0AG02-0AA0>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL9111-0AG02-0AA0

CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

last modified:

6/4/2025 

