



removable terminal block 2-pole, push-in terminals up to maximal 2 x 1.5 mm<sup>2</sup> for SIRIUS devices in industrial DIN-rail enclosure, without inscription

product brand name	SIRIUS
product category	Removable terminals
product designation	Terminal for control circuit/2-pole
design of the product	Spring-loaded terminal (push-in)/up to max. 2 x 1.5 mm <sup>2</sup>
product type designation	3ZY1
<b>General technical data</b>	
Substance Prohibitation (Date)	03/01/2017
Net Weight	0.009 kg
type of connectable conductor cross-sections	<ul style="list-style-type: none"> <li>• solid 1x (0.5 ... 1.5 mm<sup>2</sup>), 2x (0.5 ... 1.5 mm<sup>2</sup>)</li> <li>• finely stranded with core end processing 1x (0.5 ... 1.0 mm<sup>2</sup>), 2x (0.5 ... 1.0 mm<sup>2</sup>)</li> <li>• finely stranded without core end processing 1x (0.5 ... 1.5 mm<sup>2</sup>), 2x (0.5 ... 1.5 mm<sup>2</sup>)</li> <li>• for AWG cables solid 1x (20 ... 16), 2x (20 ... 16)</li> <li>• for AWG cables stranded 1x (20 ... 16), 2x (20 ... 16)</li> </ul>
width	7.5 mm

<b>Approvals Certificates</b>	
General Product Approval	Test Certificates      Maritime application



[Type Test Certificates/Test Report](#)



Maritime application	other	Railway	Environment
----------------------	-------	---------	-------------





[Confirmation](#)

[Confirmation](#)

[Environmental Confirmations](#)

### Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/ic10>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3ZY1121-2BA00>
- Cax online generator  
<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3ZY1121-2BA00>



---

last modified:

4/11/2025 