

Connector for 3+1 circuit



General data			
design of the product	connecting clip		
fastening method	busbar		
material of the enclosure	Cu		
protection class IP at connection all terminals	IP20		
net weight	74 g		
Connections/ Terminals			
signal design	optical		
Indicator/remote signaling			
product component remote signaling contact	No		
Approvals Certificates			
General Product Approval	<table border="1"> <tr> <td>other</td> <td>Environment</td> </tr> </table>	other	Environment
other	Environment		





[Confirmation](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SD7490-7>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5SD7490-7>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7490-7
- CAx-Online-Generator
<https://www.siemens.com/cax>



last modified:

7/17/2025 

