



NEOZED, fuse base, D02, 3-pole, 63 A, Un AC: 400 V, Un DC: 250 V, for Busbar system 8US 60 mm with cover 36mm

| Model | | |
|---|-----------------------------|-------------|
| product brand name | SENTRON | |
| design of the product | NEOZED bus-mounting bases | |
| product version | For 60 mm 8US busbar system | |
| General technical data | | |
| number of poles | 3 | |
| size of fuse system according to EN 60269-1 | D02 | |
| Supply voltage | | |
| operating voltage rated value | 400 V | |
| Dissipation | | |
| power loss [W] for rated value of the current at AC in hot operating state per pole | 3 W | |
| Main circuit | | |
| operational current rated value | 63 A | |
| Product details | | |
| product component cover | Yes | |
| Mechanical Design | | |
| height | 160 mm | |
| width | 36 mm | |
| depth | 66 mm | |
| fastening method | Busbar system | |
| Net Weight | | |
| material of D fuse base | plastic | |
| Approvals Certificates | | |
| General Product Approval | other | Environment |



[Confirmation](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage


<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG6208>



I201_19455

last modified:

11/19/2025 

