

Pin busbar, 16 mm² connection: 6x 3-phase according to UL 489, 480Y/277V for LS 5SJ4...-HG









Figure similar

product brand name	SENTRON	
product designation	Pin busbar	
design of the product	6x 3PH	
design of the phase tap	L1/L2/L3	
General technical data		
compatibility	for 6 MCBs 3P	
design of pole	3 poles	
phase number	3	
operational current rated value	80 A	
suitability for interaction devices with auxiliary switch	No	
suitability for interaction devices with N conductor	No	
color	light grey	
Product details		
product feature attachable arc fault detection device	No	
product feature insulated	Yes	
product function		
• suitable for compact devices	No	
• can be cut	No	
number of devices suitable for fitting	6	
type of electrical connection	Pin	
Mechanical Design		
module width	18 mm	
width	15 mm	
length	310 mm	
number of modular width units	17	
cross-section	16 mm ²	
angle of the pin of busbar	0°	
Net Weight	249 g	
Approvals Certificates		
General Product Approval	other	
		
	Miscellaneous	
		
other	Environment	

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3665-2HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3665-2HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3665-2HG


CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>





last modified:

8/8/2025 

