






Pin Busbar, 10mm² connection: 3p/N (RCCB N-right) 1x RCCB 4-pole +1x MCB 3-pole+ 3x MCB 2-pole touch protected 13 MW fixed length



product brand name	SENTRON
product designation	Pin busbar
design of the product	1x (3PH+N) + 1x 3PH + 3x (1PH+N)
General technical data	
compatibility	for 1 RCCB 3P+N, 1 MCB 3P and 3 MCBs 1P+N
design of pole	3P+N
phase number	4
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	No
number of devices suitable for fitting	5
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	15 mm
width	11 mm
length	230 mm
number of modular width units	13
cross-section	10 mm ²
angle of the pin of busbar	0°
Net Weight	94 g
Approvals Certificates	
General Product Approval	other
Confirmation	Miscellaneous
	
	
other	Environment

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3725-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3725-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3725-3

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

8/8/2025

