


compact Pin Busbar, 10mm² connection: 3p/N (RCCB N-right) 1x RCCB 4-pole+1x MCB 3-pole+ 5x compact device 1MW touch protected 12 MW cuttable



product brand name	SENTRON
product designation	Pin busbar
design of the product	1x (1PH+N) + 1x 3PH + 5x (1PH+N)
General technical data	
compatibility	for 1 x RCCB 1P+N, 1 x MCB 3P and 5 x compact devices
design of pole	3P+N
phase number	4
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product component with end cap	Yes
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	Yes
• can be cut	Yes
number of devices suitable for fitting	7
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	14 mm
width	42 mm
length	218 mm
number of modular width units	12
cross-section	10 mm ²
angle of the pin of busbar	0°
Net Weight	139 g
Approvals Certificates	
General Product Approval	other

[Confirmation](#)




[Miscellaneous](#)



other

Environment

Further information**Information on the packaging**<https://support.industry.siemens.com/cs/ww/en/view/109813875>**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3785-0>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3785-0>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3785-0**CAx-Online-Generator**<https://www.siemens.com/cax>**Tender specifications**<https://www.siemens.com/specifications>

last modified:

8/8/2025

