



Profibox I-System 100 units Two-way switch 100 units rockers Electrical white  
Electrical white

Model	
product brand name	DELTA
type of installation switch rotary switch	No
type of light source	Without lighting
type of composition	other
design of the actuating element	rocker/button
General technical data	
type of switch	toggle switch
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
RAL color number (similar)	9 010
color	white
Product details	
product component	
• labeling field	No
• signaling contact	No
• pushbutton switch	No
product feature halogen-free	Yes
Number	
number of actuating rockers	100
Connections	
type of electrical connection	Plug-in terminal
Mechanical Design	
height	500 mm
depth	200 mm
fastening method	claw/screw mounting
Net Weight	8 kg

material of the enclosure	other	
<b>Environmental footprint</b>		
Environmental Product Declaration(EPD)	Yes	
global warming potential [CO2 eq] total	4.86 kg	
global warming potential [CO2 eq] during manufacturing	0.353 kg	
global warming potential [CO2 eq] during operation	4.49 kg	
global warming potential [CO2 eq] after end of life	0.016 kg	
<b>Approvals Certificates</b>		
<b>General Product Ap- proval</b>	<b>other</b>	<b>Environment</b>



[Confirmation](#)



#### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA2156-0KE>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TA2156-0KE>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TA2156-0KE](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA2156-0KE)

**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

last modified:

9/6/2025

