



DELTA miro Frame 2-fold aluminum-metallic

| Model  |                         |             |
|--|-------------------------|-------------|
| product brand name                                   | DELTA                   |             |
| product designation                                  | Frame                   |             |
| design of cover frame flush design                   | No                      |             |
| General technical data                               |                         |             |
| surface processing                                   | Painted                 |             |
| material   | thermoplastic           |             |
| Protection class                                     |                         |             |
| protection class IP                                  | IP20                    |             |
| Suitability  |                         |             |
| suitability for integration built-in installation    | No                      |             |
| suitability for integration device installation duct | No                      |             |
| suitability for integration underfloor duct box      | No                      |             |
| suitability for integration flush mounting           | Yes                     |             |
| Appearance   |                         |             |
| appearance   | shiny                   |             |
| RAL color number                                     | 9 006                   |             |
| color  | Aluminum metallic       |             |
| Product details                                      |                         |             |
| product component                                    |                         |             |
| • labeling field                                     | No                      |             |
| • hinged lid   | No                      |             |
| product feature halogen-free                         | Yes                     |             |
| product feature transparent                          | No                      |             |
| Number   |                         |             |
| number of units                                      | 2                       |             |
| Mechanical Design                                    |                         |             |
| fastening method                                     | Other                   |             |
| mounting position                                    | horizontal and vertical |             |
| Net Weight   | 29 g                    |             |
| material of cover frame                              | plastic                 |             |
| Approvals Certificates                               |                         |             |
| General Product Approval                             | other                   | Environment |

[Confirmation](#)



[Confirmation](#)

[Environmental Confirmations](#)

## Further information

### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1116-1>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1116-1>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TG1116-1](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1116-1)

### CAx-Online-Generator

<https://www.siemens.com/cax>

### Tender specifications

<https://www.siemens.com/specifications>

---

last modified:

8/23/2025 

