



Style, Intermediate frame 68x 68 mm for installation of devices with cover plate 65x 65 mm malt gold

Model	
product brand name	DELTA
design of cover frame flush design	No
General technical data	
surface processing	Painted
material	thermoplastic
Protection class	
protection class IP	IP20
Suitability	
suitability for integration built-in installation	No
suitability for integration device installation duct	No
suitability for integration underfloor duct box	No
suitability for integration flush mounting	Yes
Appearance	
appearance	mat
RAL color number	1 036
color	gold
Product details	
product component	
• labeling field	No
• hinged lid	No
product feature halogen-free	Yes
product feature transparent	No
Number	
number of units	1
Mechanical Design	
height	68 mm
width	68 mm
depth	11 mm
fastening method	Other
mounting position	horizontal and vertical
Net Weight	5 g
material of cover frame	plastic
Approvals Certificates	
General Product Approval	other
	Environment



[Confirmation](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1328-0MG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1328-0MG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1328-0MG

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

last modified:

8/23/2025

