



Electronic time-delay switch 0.5 to 10 min adjustable max.: 400W

Model		
product brand name	DELTA	
product designation	Electronic timer	
design of the switching function	Off, 1-pole,	
type of composition	basic element with complete enclosures	
General technical data		
surface processing	other	
material	Thermoplastic	
operating voltage rated value	230 V	
Protection class		
protection class IP	IP20	
Dissipation		
power loss [W] for rated value of the current at AC in hot operating state per pole	400 W	
Main circuit		
operational current rated value	1.7 A	
Adjustable parameters		
adjustable time		
• initial value	0.5 min	
• full-scale value	10 min	
Appearance		
appearance	not applicable	
color	white	
Product details		
number of NC contacts	0	
number of NO contacts	0	
number of CO contacts	0	
product feature halogen-free	Yes	
product feature transparent	No	
Mechanical Design		
fastening method	flush mounting	
Net Weight	35 g	
material of the enclosure	other	
Approvals Certificates		
General Product Approval	other	Environment



[Confirmation](#)



[Confirmation](#)



[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2400>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2400>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2400

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

last modified:

9/14/2025

