



Voltage relays AC 230/400V 2CO 0.9/1.3+0.7/1.1 With transparent cap

Model	
product brand name	SENTRON
product designation	Voltage relay
General technical data	
measurable voltage at AC initial value	310.5 V
Voltage	
type of voltage of the operating voltage for actuation	AC
type of voltage for monitoring	AC
adjustable voltage range full-scale value	161 V
measurable voltage at AC full-scale value	310.5 V
Control current	
control supply voltage	
<ul style="list-style-type: none"> at AC at 50 Hz rated value minimum at AC at 50 Hz rated value maximum at AC at 60 Hz rated value minimum at AC at 60 Hz rated value maximum 	230 V 230 V 230 V 230 V
Auxiliary circuit	
number of CO contacts for auxiliary contacts	2
number of NC contacts for auxiliary contacts	0
number of NO contacts for auxiliary contacts	0
Product function	
product function	
<ul style="list-style-type: none"> voltage window recognition 1 phase voltage window recognition 3 phase voltage window recognition DC overvoltage detection 1 phase overvoltage detection 3 phase overvoltage detection DC undervoltage detection 1 phase undervoltage detection 3 phases undervoltage detection DC 	No No No No No No No Yes No
Connections	
product component removable terminal for auxiliary and control circuit	No
type of electrical connection	screw terminal
<ul style="list-style-type: none"> plug-in socket 	No
Mechanical Design	
height	90 mm
width	36 mm

depth	64 mm
Net Weight	0.131 kg
Approvals Certificates	
General Product Approval	other



[Confirmation](#)




[Confirmation](#)

other	Environment
Miscellaneous	Environmental Con- firmations
	Environmental Con- firmations

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT3408>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5TT3408>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT3408
- CAx-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>



last modified:

4/11/2025 

