

product type designation



Figure similar

Antenna ANT 3 incl. antenna cable

RF300/RF200 antenna ANT 3 for connection to RF250R and RF350R IP67, -25 to +70 °C, dimensions 50x28x10 mm incl. antenna connection cable PUR, UL 758, length 3 m trailing plug M8 straight/M8 angled consisting of: 1x 6GT23981CD300AX0 1x 6GT23910AH30.

Technical Product Detail Page	https://l.siemens.com/1P6GT2398-1CD40-0AX0
suitability for operation	RF250R / RF350R
radio frequencies	
transmission frequency / rated value	13.56 MHz
electrical data	
type of electrical connection / of the antenna	M8, 4-pin
design of plug-in connection	male
mechanical data	
material	PA6 V0
color	black
tightening torque / of the screw for securing the equipment / maximum	1 N·m
mounting distance	
• relating to metal surfaces / recommended / minimum	0 m
ambient conditions	
ambient temperature	
• during operation	-25 ... +70 °C
• during storage	-40 ... +85 °C
• during transport	-40 ... +85 °C
protection class IP	IP67
shock resistance	according to EN 60721-3-7 Class 7M2
shock acceleration	500 m/s ²
vibrational acceleration	200 m/s ²
design, dimensions and weights	
width	28 mm
height	50 mm
depth	10 mm
net weight	160 g
fastening method	2 x M4 screws
wire length / of antenna cable	3 m
standards, specifications, approvals	
certificate of suitability	CE, FCC, IC, cULus
certificate of suitability	
• IECEX	Yes
• for IECEX / as marking	the ATEX approval of the connected reader applies
accessories	
accessories	Included: 6GT2391-0AH30 (antenna cable)

further information / internet links

internet link

- to website: Selection guide for cables and connectors
- to web page: selection aid TIA Selection Tool
- to web page: RFID country approval
- to web page: identification and localization systems
- to web page: SiePortal
- to website: Image database
- to website: CAX-Download-Manager
- to website: Industry Online Support

<https://support.industry.siemens.com/cs/ww/en/view/109766358>
<https://www.siemens.com/tstcloud>
<https://www.siemens.com/rfid-approvals>
<https://www.siemens.com/ident>
<https://sieportal.siemens.com/>
<https://www.automation.siemens.com/bilddb>
<https://www.siemens.com/cax>
<https://support.industry.siemens.com>

security information

security information

Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under <https://www.siemens.com/cert>. (V4.7)

last modified:

11/11/2025 