

product type designation



Antenna ANT D10

MOBY D antenna ANT D10 to connection to SLG D10/SLG D10S Basic units, Write/read Range up to 550 mm (depending on transponder), 1150x 365x 115 mm incl. antenna cable PVC 3.3 m; .

Technical Product Detail Page	https://i.siemens.com/1P6GT2698-5AF00
suitability for operation	RF290R, MOBY D with SLG D10
radio frequencies	
transmission frequency / rated value	13.56 MHz
electrical data	
type of electrical connection / of the antenna	1-pol. TNC-Stecker
design of plug-in connection	female
mechanical data	
material	Aluminum / plastic
color	Transparent (cover), gray/black (antenna)
mounting distance	
<ul style="list-style-type: none"> relating to metal surfaces / recommended / minimum 	0 m
ambient conditions	
ambient temperature	
<ul style="list-style-type: none"> during operation during storage during transport 	-20 ... +55 °C -25 ... +70 °C -25 ... +70 °C
protection class IP	IP65
shock resistance	according to EN 60721-3-7 Class 7M2
shock acceleration	300 m/s ²
vibrational acceleration	10 m/s ²
design, dimensions and weights	
width	365 mm
height	1150 mm
depth	115 mm
net weight	10000 g
fastening method	4 screws M6
wire length / of antenna cable	3.3 m
standards, specifications, approvals	
certificate of suitability	CE, FCC, cULus
certificate of suitability	
<ul style="list-style-type: none"> IECEX 	No
accessories	
accessories	Antenna cables 3.3 m, 10 m, extension 7.2 m
further information / internet links	
internet link	
<ul style="list-style-type: none"> to website: Selection guide for cables and connectors to web page: selection aid TIA Selection Tool 	https://support.industry.siemens.com/cs/ww/en/view/109766358 https://www.siemens.com/tstcloud

- to web page: RFID country approval
- to web page: identification and localization systems
- to web page: SiePortal
- to website: Image database
- to website: CAX-Download-Manager
- to website: Industry Online Support

- <https://www.siemens.com/rfid-approvals>
- <https://www.siemens.com/ident>
- <https://sieportal.siemens.com/>
- <https://www.automation.siemens.com/bilddb>
- <https://www.siemens.com/cax>
- <https://support.industry.siemens.com>

security information

security information

Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under <https://www.siemens.com/cert>. (V4.7)

last modified:

11/11/2025 