

product type designation

product description

Antenna cable for UHF, RP-TNC / RP-TNC

Coaxial cable

SIMATIC RF600 connecting cable antenna L10 pre-assembled, between reader and antenna, IP65, PE, CMR/MPR, length 10 m.



Technical Product Detail Page

<https://l.siemens.com/1P6GT2815-0BN10>

suitability for use

Plug-in cable for connecting a UHF antenna to an RF600 reader

cable designation

LMR-195

wire length

10 m

electrical data

number of electrical connections

2

type of electrical connection

R-TNC (female, straight) / R-TNC (female, straight)

attenuation factor per length

- at 900 MHz / maximum

0.365 dB/m

impedance

- rated value

50 Ω

loop resistance per length / maximum

41 m Ω /m

operating voltage

- maximum

1000 V

mechanical data

design of the shield

Braided shield made of tin-plated copper wires

outer diameter

- of cable sheath

4.95 mm

material

- of inner conductor
- of dielectric
- of cable sheath

Cu

PE

PE

color

- of cable sheath

Black

bending radius

- with single bend / minimum permissible
- with multiple bends / minimum permissible

12.7 mm

50.8 mm

tensile load / maximum

180 N

weight per length

30 kg/km

ambient conditions

ambient temperature

- during operation
- during storage
- during transport
- during installation

-40 ... +85 °C

-70 ... +85 °C

-40 ... +85 °C

-40 ... +80 °C

fire behavior

Flame-resistant acc. to UL/NEC, CSA: CMR, FT4 (only cable without plug)

radiological resistance / to UV radiation

resistant

product features, product functions, product components / general

product feature

- halogen-free

No

further information / internet links

internet link

- to website: Selection guide for cables and connectors
- to web page: selection aid TIA Selection Tool
- to web page: SiePortal
- to website: Image database
- to website: CAx-Download-Manager
- to website: Industry Online Support

<https://support.industry.siemens.com/cs/ww/en/view/109766358>
<https://www.siemens.com/tstcloud>
<https://sieportal.siemens.com/>
<https://www.automation.siemens.com/bilddb>
<https://www.siemens.com/cax>
<https://support.industry.siemens.com>

security information

security information

Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under <https://www.siemens.com/cert.> (V4.7)

Approvals / Certificates

General Product Approval



[China RoHS](#)



EMV

[KC](#)

last modified:

10/28/2025