



time counter 48x 48 mm 24V AC, 50Hz without masking frame 55x 55 mm

Model	
product brand name	SETRON
product designation	Time counter
design of the product	Without cover
General technical data	
diameter of the front panel cutout	50.2 mm
electrical input frequency	
• minimum	50 Hz
• maximum	50 Hz
principle of operation of the operating hours counter	analog
reset function	no
type of voltage of the operating voltage	AC
input voltage	24 V
Protection class	
protection class IP	IP20
Number	
number of characters that can be displayed	7
Mechanical Design	
height	45 mm
height of the front plate	48 mm
width	45 mm
width of the front plate	48 mm
installation depth	34 mm
fastening method	front panel mounting
Net Weight	56 g
Approvals Certificates	
General Product Approval	other

[Confirmation](#)



[Confirmation](#)

## Environment

[Environmental Confirmations](#)

## Further information

### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5505>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5505>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=7KT5505](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5505)

### CAX-Online-Generator

<https://www.siemens.com/cax>

### Tender specifications

<https://www.siemens.com/specifications>



last modified:

5/26/2025 

