


copper busbar coupling to L: 30x10 mm, W: 600 mm,



Model		
product brand name	ALPHA 3200 Eco	
General technical data		
number of poles	3	
components of an electrical connection	Field/Field	
Main circuit		
operational current rated value	1 000 A	
tightening torque maximum	40 N·m	
Mechanical Design		
height	450 mm	
width	572 mm	
depth	110 mm	
Net Weight	26.223 kg	
Approvals Certificates		
General Product Approval	Test Certificates	other



[Miscellaneous](#)



[Special Test Certificate](#)

[Confirmation](#)



Environment



Siemens EcoTech



[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8LK6035-4AA01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8LK6035-4AA01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8LK6035-4AA01

CAX-Online-Generator

<http://www.siemens.com/cax>

last modified:

5/15/2025 

