



copper connection ACB to MBB N 3WL, frame size 0 (800 A), withdrawable version, connection: top, N position: bottom, N version: 100%, cable connection and N position: not equal

Model		
product brand name	ALPHA 3200 Eco	
General technical data		
number of poles	1	
components of an electrical connection	Field/Field	
Main circuit		
operational current rated value	800 A	
tightening torque maximum	40 N·m	
Mechanical Design		
height	376 mm	
width	40 mm	
depth	151 mm	
Net Weight	1.921 kg	
Approvals Certificates		
General Product Approval	Test Certificates	other



[Miscellaneous](#)

[Special Test Certificate](#)

[Confirmation](#)



Environment



Siemens EcoTech



[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8LK6035-5AA20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8LK6035-5AA20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8LK6035-5AA20

CAX-Online-Generator

<http://www.siemens.com/cax>

last modified:

4/11/2025 

